

Never
Compromise

Safety or Efficacy




vashe[®]

A PURE HYPOCHLOROUS ACID-PRESERVED ANTIMICROBIAL CLEANSER



Process variation leads to unpredictable outcomes.

NSWOCs by the numbers:



Wounds remain the final frontier of non-standardized practice to prevent infection from invading pathogens.

APIC defines a wound as any disruption of normal anatomic structure and function including skin and tissue.³

This disruption, or non-intact skin, creates a portal of entry for infection where opportunistic pathogens may enter, resulting in an increased risk to the patient.³

All other high-risk portals of entry have a standardized protocol and product bundle to prevent infection.

Why are wounds and non-intact skin left behind?


Infection Prevention Bundles

VAP prevention

SSI prevention

CLABSI prevention

CAUTI prevention



Historic options forced you to compromise.

Comparing safety, efficacy, and pH across historic wound treatment options

	Safety*	Efficacy	pH of Human Skin	Guideline Recommended**
Dakin's/ sodium hypochlorite	⊗	✓	⊗	⊗
Saline	✓	⊗	✓	⊗
CHG	⊗	✓	⊗	⊗
Acetic Acid	⊗	✓	⊗	⊗
PHMB	⊗	✓	⊗	⊗

*Non-cytotoxic on keratinocytes and fibroblasts ** Consensus Guidelines Recommendations from the NPIAP, IWIL, and WHD/WRR



The highest levels of evidence have recognized these gaps in clinical practice.



National Pressure Injury Advisory Panel
International Guidelines 2019

JWC International Consensus Guidelines:
Hard-to-Heal Wounds 2020 & Wound Debridement 2023

International Wound Infection Institute:
Wound Infection in Clinical Practice 2022

Wound Repair and Regeneration:
Treatment Guidelines 2022

Wounds International
Consensus Document 2023

Multidisciplinary Expert Consensus Statement
Recommendations for Use of Hypochlorous Acid 2023

- ✓ Limited evidence exists on the **ability of saline to address high levels of microbes or bacteria**^{4,5}
- ✓ Using a cleanser that can **remove or disrupt biofilm is a critical component** to wound healing.^{4,5}
- ✓ The ideal cleansing solution should balance the need for **removal of biofilm** while **avoiding damage** to key wound healing cells.⁴⁻⁷
- ✓ Traditional cleansers such as hydrogen peroxide, **traditional sodium hypochlorite (e.g. Dakin's solution)**, povidone-iodine and chlorhexidine are **proven to be cytotoxic** to necessary healing cells.⁴⁻⁷

Enter: pure hypochlorous acid

Hypochlorous acid meets the highest standards for safety and efficacy, is abundant at the ideal pH for human skin, and its use is recommended by international guidelines.

	 Safety ¹	 Efficacy	 Ideal pH	Guideline Recommended ²
pHA Pure hypochlorous acid				


- ✓ Hypochlorous and Hypochlorite both have potent antimicrobial activity; however, hypochlorite is cytotoxic and possesses a lower therapeutic index than HOCl.⁸
- ✓ HOCl can be used to assist (amplify) various standalone debridement methods, such as mechanical debridement, selective sharp/surgical debridement and technical methods including NPWTi-d with ROCF.⁹



Does your facility's nurse-driven protocols align to evidence-based guidelines?



Pure Hypochlorous Acid is used by the human body as a natural response to invading pathogens.



1

Pathogens are targeted and engulfed by white blood cells.

2

Hypochlorous acid (HOCl) is generated within the white blood cell.

3

Pathogens are destroyed by HOCl action.



vashe[®] (pHA) is the solution.



Proven effective against fungi, spores, viruses and multi-drug resistant bacteria

Vashe efficacy against pathogens¹⁰⁻¹²

Organism	Time to kill	% Reduction
MRSA	15 seconds	99.999%
VRE	15 seconds	99.999%
<i>Escherichia coli</i>	15 seconds	99.999%
<i>Acinetobacter baumannii</i>	15 seconds	99.999%
<i>Bacteroides fragilis</i>	15 seconds	99.999%
<i>Candida albicans</i>	15 seconds	99.999%
<i>Enterobacter aerogenes</i>	15 seconds	99.999%
<i>Enterococcus faecium</i>	15 seconds	99.999%
<i>Haemophilus influenzae</i>	15 seconds	99.999%
<i>Klebsiella oxytoca</i>	15 seconds	99.999%
<i>Klebsiella pneumoniae</i>	15 seconds	99.999%

Organism	Time to kill	% Reduction
<i>Micrococcus luteus</i>	15 seconds	99.999%
<i>Proteus mirabilis</i>	15 seconds	99.999%
<i>Pseudomonas aeruginosa</i>	15 seconds	99.999%
<i>Serratia marcescens</i>	15 seconds	99.999%
<i>Staphylococcus epidermidis</i>	15 seconds	99.999%
<i>Staphylococcus haemolyticus</i>	15 seconds	99.999%
<i>Staphylococcus hominis</i>	15 seconds	99.999%
<i>Staphylococcus saprophyticus</i>	15 seconds	99.999%
<i>Streptococcus pyogenes</i>	15 seconds	99.999%
<i>Staphylococcus aureus</i>	15 seconds	99.995%
<i>C. difficile</i> endospores	15 seconds	99.93%



Pure hypochlorous acid (pHA) has the ability to disrupt biofilm after short exposure¹³



There is no known clinically relevant resistance to pHA unlike other solutions (antimicrobials and antibiotics)



Proven safety from head to toe

Safe for key cells

Comparative Cytotoxicity Testing of Hypochlorous Acid and Commonly Used Wound Irrigants¹


Wound Irrigant	Results	% Cell Survival (Fibroblasts & Keratinocytes)
Pure Hypochlorous Acid (330 ppm)	Pass	> 75%
Saline (0.9% NaCl, pH 5.0)	Pass	> 75%
Dakin's/Sodium Hypochlorite (0.25%)	Fail	< 25%
Dakin's/Sodium Hypochlorite (0.5%)	Fail	< 25%
Chlorhexidine gluconate (4%)	Fail	< 25%
Hydrogen peroxide (3%)	Fail	< 25%
Povidone iodine (7.5%)	Fail	< 25%
Povidone iodine (10%)	Fail	< 25%
PHMB	Fail	< 25%

Safe around mucous membranes

Non-irritating

Has no known contraindications

Safe for peri-care



vashe[®] is the market leader in *Pure Hypochlorous Acid*.


- The **#1 hypochlorous acid solution** in North America
- The **#1 branded cleanser** in North America
- Clinically proven with **20+ peer-reviewed publications**
- The market leader of pure hypochlorous acid for **10+ years**





The connection of pH to wound healing

Chlorine, Hypochlorous Acid, and Sodium Hypochlorite Abundance Based on pH +
Relative pH of Wound Types and Various Solutions Used



Healthy, Intact Skin – pH 4.0-6.0¹⁴⁻¹⁸
(Acidic environment)

- Higher antimicrobial properties
- Favorable to wound healing
- Preserves skin function
- Increased macrophage and fibroblast activity
- Ensures stratum corneum cohesion and barrier function

Vulnerable Skin – pH >7.5¹⁴
(Alkaline environment)

- Allows pathogens to thrive¹⁹
- Impedes the healing process¹⁹
- Inflammation and irritation¹⁴
- Same pH as Chronic wounds²⁰

vashe[®] in clinical practice

The effectiveness and versatility of a pHA cleanser allows for practice standardization. Vashe can be delivered through cleansing, packing and soaking for a variety of skin and wound.¹

Chronic Wounds

- Venous leg ulcers
- Diabetic foot ulcers
- Pre & post debridement

Complex Wounds

- Pressure injuries
- Burns
- Trauma wounds
- Grafted/donor sites
- Pediatrics


Non-Intact Skin

- IAD/MASD
- Diaper dermatitis
- Intertrigo
- Skin tears


Infection Prevention

- Post-surgical incisions
- Stoma-site infections
- Central lines
- Trach tubes
- G-tubes


Case study: pediatric burn²¹



Case study: pressure injury²²



Eliminate process variation through implementation of evidence-based care



When asked, almost **half** of clinicians said evidence-based practice is only attainable with continuous education and compelling evidence.¹



Scan here to discuss a custom protocol contact your URGO Account Manager or call 1-888-446-4143



Standardize the process

Implement an evidence-based, custom protocol that meets the facility's needs & latest consensus guidelines



Standardize the product

Use a versatile solution that's appropriate for use in all departments



Empower the staff

Access top-level education through webinars, in-person instruction, or via many peer-reviewed publications



Investing in outcomes: the economic benefits of pH

Venous leg ulcers

Vashe was instituted into the care of patients suffering from long-standing refractory VLU's. Using Vashe resulted in greater quality of life for patients in addition to faster healing than baseline rates.²³

Conclusions

\$0.84 **\$2,695**
Cost of Vashe per day Cost savings per VLU

NPWT-iD

A study was conducted among 24 patients with complex wounds including: necrotizing fasciitis, trauma, and pressure injuries. Negative Pressure wound therapy with instillation was initiated with Vashe vs. saline.²⁴

Conclusions

7-Day **\$141,280**
healing time reduction Cost savings per patient

Complex wounds

17 adult patients with complex wounds, of multiple etiologies, were randomly assigned to receive either Vashe or saline irrigation during low frequency ultrasonic debridement.²⁵

Conclusions

55% **\$3K-33K**
Less complications Cost savings per complication

Scan here to download a recently published white paper on the economic and quality impacts of using Pure Hypochlorous Acid



Addressing patient comfort



A study was conducted in an outpatient wound center where Vashe was used for general cleansing on 31 patients. This study found that:

- 86% of chronic wounds healed
- Pain was reduced from 4.7 visual analog scale (VAS) to 0 at the end of the evaluation
- Odor was reduced from 4.58 VAS to 0 at the end of the evaluation²⁶

Enabling continuity of care

The majority of wound resolution occurs beyond the hospital.

17-23% of severe wound patients are readmitted to the hospital.²⁷

22% of pressure injury patients are readmitted within 30 days.²⁷

With **Vashe OTC**, evidence-based care does not have to stop upon discharge.

Vashe ordering information

Bottle Size/ Pack Size	Pour-Top Catalog Code	Instillation Bottle Catalog Code
4.0 fl. oz. (118 ml) Bottles/24-Pack	00312	Not available
8.5 fl. oz. (250 ml) Bottles/12-Pack	00313	00316
16.0 fl. oz. (475 ml) Bottles/12-Pack	00314	00317
34.0 fl. oz. (1 Liter) Bottles/6-Pack	00322	00323



References: 1. Data on file with Urgo Medical North America. 2. NSWQCC 2024-2025 Mid-Year Report, December 2024. 3. Clean Vs Sterile: Management of Chronic Wounds." APIC News, vol. 20, no. 1, 2001, pp. 20-22, https://apic.org/Resource/_TinyMceFileManager/Position_Statements/Clean-Vs-Sterile.pdf. Accessed 7 Feb. 2025. 4. Murphy C, Atkin L, Swanson T, Tachi M, Tan YK, Vega de Ceniga M, Weir D, Wolcott R. International consensus document. Defying hard-to-heal wounds with an early antibiofilm intervention strategy: wound hygiene. J Wound Care 2020; 29(Suppl 3b):S1–28. 5. European Pressure Ulcer Advisory Panel, National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline. Emily Haesle (Ed.). EPUAP/NPIAP/PPPIA: 2019. 6. Eriksson, E, Liu, PY, Schultz, GS, et al. Chronic wounds: Treatment consensus. Wound Rep Reg. 2022; 30(2): 156-171. doi:10.1111/wrr.12994. 7. International Wound Infection Institute (IWII) Wound Infection in Clinical Practice. Wounds International. 2022. 8. Eriksson, E, Liu, PY, Schultz, GS, et al. Chronic wounds: Treatment consensus. Wound Rep Reg. 2022; 30(2): 156-171. doi:10.1111/wrr.12994. 9. International Wound Infection Institute (IWII) Wound Infection in Clinical Practice. Wounds International. 2022. 10. Vashe Wound Solution data developed from USP 51 Antimicrobial testing. 11. Bohn GA, Champion S, Eldridge K. Can the use of hypochlorous acid change your dressing selection? Poster Presentation: Symposium for Advanced Wound Care; 2013; Orlando, FL. 12. Nerandzic MM, Rackaityte E, Jury LA, et al. Novel Strategies for Enhanced Removal of Persistent Bacillus anthracis Spores and Clostridium difficile Spores from Skin. PLoS One. 2013;8(7):e68706. doi:10.1371/journal.pone.0068706. 13. Robson MC. Treating chronic wounds with hypochlorous acid disrupts biofilm. Today's Wound Clinic. 2014;8(9). 14. McNichol, Laurie & Ayello, Elizabeth & Phearnan, Laura & Pezzella, Patricia & Culver, Elizabeth. (2018). Incontinence-Associated Dermatitis: State of the Science and Knowledge Translation. Advances in Skin & Wound Care. 31. 1. 10.1097/01.ASW.0000546234.12260.61. 15. Nagoba BS, Gandhi RC, Wadher BJ, et al. Microbiological, histopathological and clinical changes in chronic wounds after citric acid treatment. J Med Microbiol. 2008;57(5):681-682. 16. Hunt TK, Hopf HW. Wound healing and wound infection: What surgeons and anesthesiologists can do. Surg Clin North Am. 1997;77(3):587-606. 17. Thomas S. Wound Management and Dressings. London, UK: Pharmaceutical Press; 1990. 18. Molan PC. Re-introducing honey in the management of wounds and ulcers-theory and practice. Ostomy Wound Manage. 2002;48(11):28-40. 19. Ortega-Peña, Silvestre & Hidalgo-González, Christian & Robson, Martin & Krötzsch, Edgar. (2016). In vitro microbicidal, anti-biofilm and cytotoxic effects of different commercial antiseptics: Antibiofilm effects of different commercial antiseptics. International Wound Journal. 14. 10.1111/iwj.12625. 20. Gethin G. The significance of surface pH in chronic wounds. Wounds UK. 2007;3(3):52-56. 21. Dunklema, Panicheva, Chakravathy. A Pure Hypochlorous Acid (pHA) Preserved Cleanser Does Not Need to be Rinsed From Wounds Post Application: What is the Chemistry Behind that Observation? How does a Real Life Burn Protocol Work Without Rinsing?. Poster Presentation: Boswick; 2023; Maui, HI. 22. Duttman, Elliott. Hypochlorous Acid Wraps as a Precursor to Compression Therapy. Poster Presentation: SAWC Fall; 2020; Virtual. 23. Niezgoda JA, Niezgoda JA, Niezgoda KM, Mallow PJ. Cost-per-Response Analysis of Pure Hypochlorous Acid Among Patients with Chronic Venous Leg Ulcers: A Health Economic Analysis. Adv Skin Wound Care. 2023 Nov 1;36(11):587-590. doi: 10.1097/ASW.0000000000000024. Epub 2023 Aug 24. PMID: 37682298. 24. Gallagher KE, Alberto EC, Mallow PJ, Hermans MH, Cardenas L. A Retrospective Health Economic Analysis of a Stable Hypochlorous Acid Preserved Wound Cleanser Versus 0.9% Saline Solution as Instillation for Negative-Pressure Wound Therapy in Severe and Infected Wounds. Cures. 2022 Apr 20;14(4):e24321. doi: 10.7759/cures.24321. PMID: 35607546; PMCID: PMC9123387. 25. Mallow PJ, Hiebert JM, Robson MC. Cost-Effectiveness of Hypochlorous Acid Preserved Wound Cleanser versus Saline Irrigation in Conjunction with Ultrasonic Debridement for Complex Wounds. JHEOR. 2021;8(2):76-81. doi:10.36469/001c.28429. 26. Niezgoda JA, Sordi PJ, Hermans MH. Evaluation of Vashe Wound Therapy in the clinical management of patients with chronic wounds. Adv Skin Wound Care. 2010;23(8):352-357. 27. Statistical Brief #278. Healthcare Cost and Utilization Project (HCUP), July 2021. Agency for Healthcare Research and Quality, Rockville, MD. www.hcup-us.ahrq.gov/reports/statbriefs/sb278-Conditions-Frequent-Readmissions-By-Payer-2018.jsp.

Manufactured by: Urgo Medical North America, LLC, Fort Worth, TX 76102, United States
Distributed by: Urgo Medical Canada, Inc. Mississauga, ON L4Z 1S1, Canada
To order in Canada, call 1-888-446-4143 or visit www.urgomedical.ca

© 2025 Urgo Medical North America, LLC. All rights reserved.
Vashe, Urgo, and the Urgo logo are registered trademarks of Urgo Medical.

